GP Cellulose[™]

SAFETY DATA SHEET

1. Identification

Product identifier FFLE+ Other means of identification None.

Recommended useNot available. **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name GP Cellulose America Marketing LLC

Address 133 Peachtree Street, NE

Atlanta, GA 30303

Telephone(M)SDS Request: 404.652.5119E-mailMSDSREQ@GAPAC.COM

Website www.gpcellulose.com

Emergency phone number

Chemtrec - Emergency: 800.424.9300

Importer/Supplier/

Distributor

Not applicable.

2. Hazard(s) identification

Emergency overview This product is not hazardous in the form in which it is shipped by the manufacturer but may

become hazardous by downstream activities such as cutting, slitting, scarfing, hammer milling or otherwise working with this product that generate large amount of dusts. Those hazards are

described below.

Physical hazards Combustible dusts Category 1

Health hazardsNot classified. **Environmental hazards**Not classified.

Label elements

Hazard symbol None.
Signal word Warning

Hazard statement The cutting, slitting, scarfing, hammer milling or otherwise working with this product may generate

large amount of dusts that may form combustible dust concentrations in air.

Precautionary statement

Prevention Prevent dust accumulation and airborne dispersion of dust to minimize flash fire and explosion

hazard. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Follow good housekeeping practices; vacuum up areas where dust settles to avoid excessive accumulation of this combustible material. Use dust ignition proof vacuums for vacuuming combustible dusts. Observe good industrial

hygiene practices.

Response Get medical advice/attention if you feel unwell. In case of fire: Use appropriate media to

extinguish.

Storage Store away from strong oxidizers.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Material name: FFLE+ SDS CANADA

5247 Version #: 01 Issue date: 05-30-2018

% **Chemical name Common name and synonyms CAS** number **CELLULOSE PULP** 65996-61-4 80 - 100

Since this material is converted into other products in varying operations, there may be a possibility of generating combustible dust under certain conditions. This SDS contains valuable information critical to the safe handling and proper use of the product. The SDS should be retained and available for employees and other users of this product.

4. First-aid measures

Inhalation If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a

physician if symptoms develop or persist. If persistent irritation, severe coughing or breathing

difficulty occurs, seek medical attention.

Skin contact If irritation occurs, remove contaminated clothing and shoes; wash skin with soap and water. Wash

clothing before reuse.

Eye contact Treat as a nuisance dust. Remove contact lenses and immediately rinse eyes with water for at least

Direct contact with eyes and respiratory tract may cause temporary irritation.

15 minutes, occasionally lifting the upper and lower eyelids. If irritation persists, seek medical

attention.

Ingestion Not likely, due to the form of the product, Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Type A Water Pressurized Extinguisher. Water fog. Foam. Dry chemical powder. Use a water spray

to wet down paper dust to reduce the likelihood of ignition or dispersion of dust into the air. Extinguishers equipped with diffuser nozzles are desirable to minimize dust cloud generation.

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for

firefighters

Fire fighting equipment/instructions

Specific methods

None known.

During fire, gases hazardous to health may be formed.

In the event of a fire, wear full protective clothing including a NIOSH-approved self-contained breathing apparatus (SCBA). Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Firefighters should wear full protective clothing including self-contained breathing apparatus.

To avoid dust clouds, responders should use the extinguisher from as far away as possible and apply the extinguishing agent as gently as possible. The main considerations with hose stream operation are to avoid creating combustible dust clouds or introducing more air. In particular, the use of solid streams and direct dust pile hits can disperse dust into the air creating a potential flash fire hazard. The best way to apply water is in a medium to wide-pattern, as gently as possible. Responders should use a low nozzle pressure and loft the stream onto the burning material from as

far away as the stream will reach.

General fire hazards In sufficient concentrations, fine dust dispersed in air at elevated temperatures or in the presence of an ignition source is a potential fire or dust explosion hazard. Airborne concentration of 15-200

g/m3 is often used as the minimum explosive concentration (MEC) or LFL.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use only non-sparking tools. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Avoid inhalation of dust from the spilled material. Use personal protection recommended in Section 8.

Methods and materials for containment and cleaning up Eliminate all ignition sources. Isolate area. Wear appropriate personal protective equipment as specified in Section 8. If dust is generated, clean up material in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by wetting with water. Pick up spill for recovery or disposal and place in a closed container.

Environmental precautions

No special environmental precautions required. Contact local authorities in case of spillage to drain/aquatic environment.

7. Handling and storage

Precautions for safe handling

Dry processing by mechanical means (such as cutting, slitting, scarfing, hammer milling) may generate combustible dust. Adequate controls should be implemented to prevent dust accumulation and ignition. Dust can form an explosive mixture with air in the presence of an ignition source. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Maintain good housekeeping to keep formation of airborne dust to a minimum. Use with adequate ventilation. Use wet methods, if appropriate, to minimize dust generation and accumulation. Avoid contact with eyes, skin and clothing. Avoid inhalation or ingestion. Provide appropriate local exhaust ventilation at machinery and at places where dust can be generated.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in original packaging in a cool, dry place out of direct sunlight. Keep in a well-ventilated place away from incompatible materials. Store away from strong oxidizers.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values	US.	ACGTH	Threshold	Limit Value	s
----------------------------------	-----	--------------	-----------	-------------	---

Components	Туре	Value		
CELLULOSE PULP (CAS 65996-61-4)	TWA	10 mg/m3		
Canada, Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)				

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)					
Components	Туре	Value			
CELLULOSE PULP (CAS 65996-61-4)	TWA	10 mg/m3			

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form		
CELLULOSE PULP (CAS 65996-61-4)	TWA	3 mg/m3	Respirable fraction.		
		10 mg/m3	Total dust.		
Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)					
Components	Туре	Value			

<u> </u>	, ,	
CELLULOSE PULP (CAS	TWA	10 mg/m3
CEOOC C1 4)		

65996-61-4)

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)				
Components	Туре	Value		
CELLULOSE PULP (CAS 65996-61-4)	TWA	10 mg/m3		

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)				
Components	Туре	Value	Form	
CELLULOSE PULP (CAS 65996-61-4)	TWA	10 mg/m3	Total dust.	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

When using product, provide local and general exhaust ventilation to keep airborne dust concentrations below exposure limits. Provide explosion protection for air material separators (e.g. baghouses) collecting combustible dusts. Use wet methods, if appropriate, to reduce the generation of dust. Due to the explosive potential of paper dust when suspended in air, precautions should be taken to prevent sparks or other ignition source in ventilation equipment. Follow good housekeeping practices; vacuum up areas where dust settles to avoid excessive accumulation of this combustible material. Use dust ignition proof vacuums for vacuuming combustible dusts.

Individual protection measures, such as personal protective equipment

Goggles or safety glasses are recommended if the product is used in such a way as to generate Eye/face protection high dust levels.

Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves.

Other Gloves and outer garments are recommended to minimize potential irritation from handling

product. Launder clothing before reuse.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove dust.

9. Physical and chemical properties

Appearance Pulp. **Physical state** Solid.

Form sheets or roll Colour White. Odour Paper-like **Odour threshold** Not available. Not applicable. Melting point/freezing point Not applicable. Initial boiling point and

boiling range

Not applicable.

Flash point Not applicable. **Evaporation rate** Not available. Flammability (solid, gas) Combustible solid.

Upper/lower flammability or explosive limits Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit – upper

(%)

Not available.

Not applicable. Vapour pressure Vapour density Not applicable. Not available. Relative density

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not applicable. **Viscosity**

Other information

Dust explosion properties St class 1

Percent volatile Not applicable.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Product is stable under normal conditions of use. Chemical stability

Possibility of hazardous

reactions

Not expected under normal conditions of use.

Conditions to avoid Dust accumulation, dispersion of dust in air, high temperatures, open flame, sparks, or other

sources of ignition.

Strong oxidising agents.

Incompatible materials

Hazardous decomposition

products

In a fire situation, carbon dioxide and carbon monoxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation of dusts may cause respiratory irritation.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis

Eve contact Dust generated during processing may cause eye irritation.

Ingestion Ingestion is not likely to be a primary route of occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics In its purchased form, the product is not hazardous. Dust generated during processing may cause

eye and respiratory irritation. Coughing and difficulty breathing. Exposed individuals may

experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity Data for ingredients found below.

Components **Species Test results**

CELLULOSE PULP (CAS 65996-61-4)

Acute

Oral

LD50 Rat > 5000 mg/kg, days

Skin corrosion/irritation Non-irritating in rabbits.

Serious eye damage/eye

irritation

Minimally irritating in rabbits. Dust from processing may cause irritation.

Respiratory or skin sensitisation

Canada - Alberta OELs: Irritant

CELLULOSE PULP (CAS 65996-61-4) Irritant Respiratory sensitisation Not likely due to form of the product.

Skin sensitisation No evidence of skin sensitization in guinea pigs.

Germ cell mutagenicity No evidence of mutagenicity or genotoxicity in vitro cell systems or rats.

No evidence of carcinogenicity in rats or humans. None of this product's components are listed by Carcinogenicity

ACGIH, IARC, OSHA, or NTP.

No evidence of reproductive or developmental effects in rats or humans. Reproductive toxicity

Specific target organ toxicity

single exposure

No evidence of specific target organ effects in rats and humans. Dust generated during processing

may cause respiratory irritation.

Specific target organ toxicity

- repeated exposure

No evidence of specific target organ effects in rats and humans.

Aspiration hazard Not likely to cause aspiration.

Chronic effects Prolonged or repeated inhalation of dust or particles may impair lung function cause lung damage

Further information This product has no known adverse effect on human health.

Data for similar material used to support Cellulose Pulp.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available. Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this product.

Material name: FFLE+ SDS CANADA 5 / 7

5247 Version #: 01 Issue date: 05-30-2018

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in a manner that does not generate dust borne particles at licensed

waste disposal site. Dispose of in a landfill or incinerate in accordance with federal, state, local and

provincial regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not applicable. The product is not an EPA hazardous waste.

Waste from residues / Dispose of in accordance with local regulations. Empty containers or liners may retain some product unused products

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Not applicable.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

General information This product is not regulated as a hazardous material by the United States (DOT) transportation

regulations.

15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region **Inventory name** On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 05-30-2018

Version No. 01

Material name: FFLE+ SDS CANADA

5247 Version #: 01 Issue date: 05-30-2018

Disclaimer

This SDS is intended to quickly provide useful information to the user(s) of this material or product. It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer) who are unsure of what specific precautions are required should consult their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other safety and health information about this product is inaccurate or incomplete.

Revision information

Product and Company Identification: Product and Company Identification

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Regulatory Information: United States

HazReg Data: North America

GHS: Classification

Warning

Hazard statement

The cutting, slitting, scarfing, hammer milling or otherwise working with this product may generate large amount of dusts that may form combustible dust concentrations in air.

Precautionary statement

receiving equipment. Follow good housekeeping practices; vacuum up areas where dust settles to avoid excessive Prevent dust accumulation and airborne dispersion of dust to minimize flash fire and explosion hazard. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and appropriate media to extinguish. Store away from strong oxidizers. Dispose of waste and residues in accordance Observe good industrial hygiene practices. Get medical advice/attention if you feel unwell. In case of fire: Use accumulation of this combustible material. Use dust ignition proof vacuums for vacuuming combustible dusts with local authority requirements.

FR-CA

Avertissement

Mention de danger

La coupe, le refendage, l'assemblage à mi-bois, le broyage à marteau ou tout travail utilisant ce produit peut générer l'émission de grandes quantités de poussières pouvant former des concentrations de poussières combustibles dans l'air.

Conseil de prudence

flammes nues et de toute autre source d'ignition. Ne pas fumer. Mettre à la terre/masse le récipient et l'équipement des aspirateurs à l'épreuve des flambées de poussière pour l'aspiration des poussières combustibles. Observer de de réception. Appliquer de bonnes pratiques en matière d'entretien; ramasser les poussières dans les endroits où d'inflammation instantanée et d'explosion. Tenir à l'écart de la chaleur, des surfaces chaudes, des étincelles, des bonnes pratiques d'hygiène industrielle. Demander un avis médical/Consulter un médecin en cas de malaise. En elles se déposent à l'aide d'un aspirateur pour éviter l'accumulation excessive de la matière combustible. Utiliser cas d'incendie : utiliser un agent d'extinction approprié. Stocker à l'écart des comburants puissants. Éliminer les Éviter l'empoussièrement et la dispersion des particules de poussière dans l'air afin de minimiser les risques rejets et les déchets conformément aux règlements municipaux



Address: 133 Peachtree Street, NE, WSD SREQ@ GAPAC. COM / Website: www.gpcellulose.com / Emergency Request: 404.652.5119 / E-mail:

Canada