

# SAFETY DATA SHEET

## 1. Identification

<b>Product identifier</b>	<b>GP PRO ActiveAire® Passive Whole-Room Freshener Dispenser Refill, Sunscape</b>		
<b>Product list</b>	GP PRO ActiveAire® Passive Whole-Room Freshener Dispenser Refill, Sunscape SKU 48291		
<b>Other means of identification</b>	None.		
<b>Recommended use</b>	Washroom air freshener		
<b>Recommended restrictions</b>	Take precautionary measures against static discharge.		
<b>Manufacturer/Importer/Supplier/Distributor information</b>			
<b>Manufacturer</b>			
<b>Company name</b>	Georgia-Pacific Consumer Products LP		
<b>Address</b>	133 Peachtree Steet, NE Atlanta, GA 30303		
<b>Telephone</b>	Technical Information: 866.435.5647 (M)SDS Request: 404.652.5119		
<b>E-mail</b>	MSDSREQ@GAPAC.com		
<b>Emergency phone number</b>	Chemtrec - Emergency: 800.424.9300		
<b>Importer/Supplier/ Distributor</b>	Not applicable.		

## 2. Hazard(s) identification

<b>Emergency overview</b>	This is a consumer care product that is safe for consumers when used according to the label directions.		
<b>Physical hazards</b>	Not classified.		
<b>Health hazards</b>	Sensitization, skin	Category 1	
<b>Environmental hazards</b>	Hazardous to the aquatic environment, long-term hazard	Category 3	

### Label elements



<b>Signal word</b>	Warning		
<b>Hazard statement</b>	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.		
<b>Precautionary statement</b>			
<b>Prevention</b>	In case of prolonged or frequently repeated contact, wear protective gloves. Do not eat, drink or smoke when using this product. Avoid release to the environment.		
<b>Response</b>	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Specific treatment (see section 4 on the SDS).		
<b>Storage</b>	Store away from strong oxidizing agents.		
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.		
<b>Other hazards</b>	None known.		
<b>Supplemental information</b>	None.		

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
PETROLEUM DISTILLATES, HYDROTREATED LIGHT		64742-47-8	5 - 10

Chemical name	Common name and synonyms	CAS number	%
D-LIMONENE		5989-27-5	3 - 5
OCTANAL, 2-(PHENYLMETHYLENE)-		101-86-0	1 - 3
BENZENEPROPANAL, 4-(1,1-DIMETHYLETHYL)-.ALPHA.- METHYL-		80-54-6	< 1
BUTYLATED HYDROXYTOLUENE (BHT)		128-37-0	< 1
GERANIOL		106-24-1	< 1
HEPTANOIC ACID, 2-PROPENYL ESTER		142-19-8	< 1
2-BUTEN-1-ONE, 1-(2,6,6-TRIMETHYL-3-CYCLOHE XEN-1-YL)-		57378-68-4	< 0.2
ALPHA-PINENE		80-56-8	< 0.2
BETA-PINENE		127-91-3	< 0.2
CYCLOHEXANEPROPANOIC ACID, 2-PROPENYL ESTER		2705-87-5	< 0.2
B-PINENE		18172-67-3	< 0.2
Other components below reportable levels			80 - 90

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

<b>Inhalation</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Call a physician if symptoms develop or persist. Move to fresh air.
<b>Skin contact</b>	Wash with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>Eye contact</b>	Flush eyes immediately with large amounts of water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	May cause an allergic skin reaction. Dermatitis. Rash. Direct contact with eyes may cause temporary irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Keep individual under observation.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Use water spray to cool unopened containers.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation and avoid contact with skin and eyes. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS. Local authorities should be advised if significant spillages cannot be contained. Remove all sources of ignition.

### Methods and materials for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Contain the spill, then place in a suitable container. Collect and dispose of spillage as indicated in section 13 of the SDS. For waste disposal, see section 13 of the SDS. Prevent product from entering drains.

### Environmental precautions

Avoid release to the environment. If large quantities enter a waterway, advise local authorities.

## 7. Handling and storage

### Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. When using, do not eat, drink or smoke. Do not taste or swallow. Wear appropriate personal protective equipment. Avoid release to the environment.

### Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep away from direct sunlight. Keep away from heat, sparks and open flame. Keep out of the reach of children. Storage 32-90°F (0-32.2°C) for less than 30 days. Optimal conditions for long term storage 60-75°F (15.5-23.8°C). Acceptable conditions for long term storage 40-80°F (4.4-26.6°C).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US ACGIH Threshold Limit Values: Time Weighted Average (TWA): mg/m<sup>3</sup>, non-standard units

Components	Type	Value	Form
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	TWA	2 mg/m <sup>3</sup>	Inhalable fraction and vapor.

#### US. ACGIH Threshold Limit Values

Components	Type	Value
ALPHA-PINENE (CAS 80-56-8)	TWA	20 ppm
BETA-PINENE (CAS 127-91-3)	TWA	20 ppm

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	TWA	10 mg/m <sup>3</sup>

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
ALPHA-PINENE (CAS 80-56-8)	TWA	20 ppm	
BETA-PINENE (CAS 127-91-3)	TWA	20 ppm	
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	TWA	2 mg/m <sup>3</sup>	Vapor and aerosol, inhalable.
PETROLEUM DISTILLATES, HYDROTREATED LIGHT (CAS 64742-47-8)	TWA	200 mg/m <sup>3</sup>	Non-aerosol.

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
ALPHA-PINENE (CAS 80-56-8)	TWA	20 ppm	
BETA-PINENE (CAS 127-91-3)	TWA	20 ppm	
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	TWA	2 mg/m <sup>3</sup>	Inhalable fraction and vapor.

**Canada. Ontario OELs. (Ministry of Labor - Control of Exposure to Biological or Chemical Agents)**

Components	Type	Value	Form
ALPHA-PINENE (CAS 80-56-8)	TWA	20 ppm	
BETA-PINENE (CAS 127-91-3)	TWA	20 ppm	
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.

**Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)**

Components	Type	Value	
ALPHA-PINENE (CAS 80-56-8)	TWA	112 mg/m3	
BETA-PINENE (CAS 127-91-3)	TWA	20 ppm 112 mg/m3	
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	TWA	20 ppm 10 mg/m3	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines****Canada - British Columbia OELs: Skin designation**

PETROLEUM DISTILLATES, HYDROTREATED LIGHT (CAS 64742-47-8) Can be absorbed through the skin.

**Appropriate engineering controls** General ventilation normally adequate.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses or goggles if handling large quantities.

**Skin protection**

**Hand protection** In case of prolonged or frequently repeated contact, wear appropriate gloves.

**Other** None necessary under normal conditions of use. Wear appropriate gloves if handling large quantities.

**Respiratory protection** Under normal conditions of use respiratory protection is not expected to be required.

**Thermal hazards** Not applicable.

**General hygiene considerations** When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance**

**Physical state** Solid.

**Form** Solid

**Color** Not available.

**Odor** Characteristic.

**Odor threshold** Not available.

**pH** Not available.

**Melting point/freezing point** 140 - 185 °F (60 - 85 °C)

**Initial boiling point and boiling range** Not available.

**Flash point** > 199.4 °F (> 93.0 °C)

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not available.

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	> 626 °F (> 330 °C)
Decomposition temperature	> 572 °F (> 300 °C)
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

## 10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Not available.
Possibility of hazardous reactions	Not available.
Conditions to avoid	Not available.
Incompatible materials	Not available.
Hazardous decomposition products	Not available.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Health injuries are not known or expected under normal use.
Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Not applicable under normal conditions of use. May cause gastrointestinal irritation if ingested.

**Symptoms related to the physical, chemical and toxicological characteristics** May cause an allergic skin reaction. Dermatitis. Rash. Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

**Acute toxicity** May cause an allergic skin reaction.

Product	Species	Test Results
GP PRO ActiveAire® Passive Whole-Room Freshener Dispenser Refill, Sunscape		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	53276 mg/kg estimated
<b>Inhalation</b>		
LC50	Rat	4957 mg/l/4h estimated 113 mg/l, 4 hours estimated
<b>Oral</b>		
LD50	Rat	20778 mg/kg estimated

Components	Species	Test Results
ALPHA-PINENE (CAS 80-56-8)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	> 5000 mg/kg
<b>Oral</b>		
LD50	Rat	3700 mg/kg
BETA-PINENE (CAS 127-91-3)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	> 5000 mg/kg
<b>Oral</b>		
LD50	Rat	4700 mg/kg
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rat	> 2000 mg/kg, 24 hours
<b>Oral</b>		
LD50	Rat	> 6000 mg/kg
CYCLOHEXANEPROPANOIC ACID, 2-PROPENYL ESTER (CAS 2705-87-5)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	1600 mg/kg
<b>Oral</b>		
LD50	Rat	585 mg/kg
D-LIMONENE (CAS 5989-27-5)		
<b><u>Acute</u></b>		
<b>Oral</b>		
LD50	Mouse	5600 - 6600 mg/kg
GERANIOL (CAS 106-24-1)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	> 5000 mg/kg
<b>Oral</b>		
LD50	Rat	3600 mg/kg
HEPTANOIC ACID, 2-PROPENYL ESTER (CAS 142-19-8)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	810 mg/kg
<b>Oral</b>		
LD50	Rat	218 mg/kg
OCTANAL, 2-(PHENYLMETHYLENE)- (CAS 101-86-0)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	> 3000 mg/kg
<b>Inhalation</b>		
LC50	Rat	> 2.12 mg/l, 4 hours
<b>Oral</b>		
LD50	Rat	3100 mg/kg

Components	Species	Test Results
B-PINENE (CAS 18172-67-3)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rat	> 5000 mg/kg
<b>Oral</b>		
LD50	Rat	3700 mg/kg
* Estimates for product may be based on additional component data not shown.		
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.	
<b>Respiratory or skin sensitization</b>		
<b>ACGIH sensitization</b>		
ALPHA-PINENE (CAS 80-56-8)	Dermal sensitization	
BETA-PINENE (CAS 127-91-3)	Dermal sensitization	
<b>Canada - Alberta OELs: Irritant</b>		
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	Irritant	
<b>Canada - British Columbia OELs: Respiratory or skin sensitiser</b>		
ALPHA-PINENE (CAS 80-56-8)	Capable of causing respiratory, dermal or conjunctival sensitization.	
BETA-PINENE (CAS 127-91-3)	Capable of causing respiratory, dermal or conjunctival sensitization.	
<b>Canada - Manitoba OELs Hazard: Dermal sensitization</b>		
ALPHA-PINENE (CAS 80-56-8)	Dermal sensitization	
BETA-PINENE (CAS 127-91-3)	Dermal sensitization	
<b>Canada - Quebec OELs: Sensitizer</b>		
ALPHA-PINENE (CAS 80-56-8)	Sensitizer.	
BETA-PINENE (CAS 127-91-3)	Sensitizer.	
<b>Canada - Saskatchewan OELs Hazard Data: Sensitiser</b>		
ALPHA-PINENE (CAS 80-56-8)	Sensitizer.	
BETA-PINENE (CAS 127-91-3)	Sensitizer.	
<b>Respiratory sensitization</b>	Not classified.	
<b>Skin sensitization</b>	May cause an allergic skin reaction.	
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
<b>ACGIH Carcinogens</b>		
ALPHA-PINENE (CAS 80-56-8)	A4 Not classifiable as a human carcinogen.	
BETA-PINENE (CAS 127-91-3)	A4 Not classifiable as a human carcinogen.	
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	A4 Not classifiable as a human carcinogen.	
<b>Canada - Manitoba OELs: carcinogenicity</b>		
ALPHA-PINENE (CAS 80-56-8)	Not classifiable as a human carcinogen.	
BETA-PINENE (CAS 127-91-3)	Not classifiable as a human carcinogen.	
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	Not classifiable as a human carcinogen.	
<b>Reproductive toxicity</b>	Not classified.	
<b>Specific target organ toxicity - single exposure</b>	Not classified.	
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.	
<b>Aspiration hazard</b>	Not applicable.	
<b>Chronic effects</b>	Not hazardous under normal conditions of use.	

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Product	Species	Test Results
GP PRO ActiveAire® Passive Whole-Room Freshener Dispenser Refill, Sunscape		
<b>Aquatic</b>		
Crustacea	EC50 Daphnia	806.6288 mg/L, 48 Hours estimated
<i>Acute</i>		
Fish	LC50 Fish	12.8203 mg/l, 96 hours estimated
<b>Components</b>		
<b>Species</b>		
<b>Test Results</b>		
BENZENEPROPANAL, 4-(1,1-DIMETHYLETHYL)-.ALPHA.-METHYL- (CAS 80-54-6)		
<b>Aquatic</b>		
Crustacea	EC50 Daphnia	10.7 mg/L, 48 Hours
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)		
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	EC50 Invertebrates (Invertebrates)	0.48 mg/l, 48 hours
CYCLOHEXANEPROPANOIC ACID, 2-PROPENYL ESTER (CAS 2705-87-5)		
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50 Fish	0.13 mg/l, 96 hours
D-LIMONENE (CAS 5989-27-5)		
<b>Aquatic</b>		
Crustacea	EC50 Water flea (Daphnia pulex)	69.6 mg/l, 48 hours
Fish	LC50 Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours
GERANIOL (CAS 106-24-1)		
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50 Fish	22 mg/l, 96 hours
HEPTANOIC ACID, 2-PROPENYL ESTER (CAS 142-19-8)		
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50 Fish	0.117 mg/l, 96 hours
OCTANAL, 2-(PHENYLMETHYLENE)- (CAS 101-86-0)		
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	EC50 Daphnia	1.1 mg/l, 48 hours
PETROLEUM DISTILLATES, HYDROTREATED LIGHT (CAS 64742-47-8)		
<b>Aquatic</b>		
Fish	LC50 Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours
B-PINENE (CAS 18172-67-3)		
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50 Fathead minnow (Pimephales promelas)	0.502 mg/l, 96 hours ECHA

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

### Bioaccumulative potential

#### Partition coefficient n-octanol / water (log Kow)

ALPHA-PINENE	4.83
D-LIMONENE	4.232

**Mobility in soil** No data available.



**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations. Do not incinerate used or unused product.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### TDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not available.

### 15. Regulatory information

#### Canadian regulations

##### Controlled Drugs and Substances Act

Not regulated.

##### Export Control List (CEPA 1999, Schedule 3)

Not listed.

##### Greenhouse Gases

Not listed.

##### Precursor Control Regulations

Not regulated.

#### International regulations

##### Stockholm Convention

Not applicable.

##### Rotterdam Convention

Not applicable.

##### Kyoto protocol

Not applicable.

##### Montreal Protocol

Not applicable.

##### Basel Convention

Not applicable.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information

**Issue date** October-19-2016  
**Version #** 01

**Disclaimer**

This SDS is intended to quickly provide useful information to the user(s) of this material or product. It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer) who are unsure of what specific precautions are required should consult their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other safety and health information about this product is inaccurate or incomplete.

**Revision information**

Product and Company Identification: Product Codes  
Composition / Information on Ingredients: Ingredients  
Physical & Chemical Properties: Multiple Properties  
Ecological Information: Ecotoxicity  
Transport Information: Proper Shipping Name/Packing Group  
Regulatory Information: United States  
HazReg Data: North America  
GHS: Classification