

SAFETY DATA SHEET

1. Identification

Product identifier	enMotion® High Frequency Use Foam Handwash		
Product list	enMotion® High Frequency Use Foam Handwash 1200 mL bags/ 2 per case SKU - 42713		
Other means of identification			
SDS number	B101		
Recommended use	Hand cleanser		
Recommended restrictions	This product is regulated as a cosmetic in the US and is intended for personal care use.		
Manufacturer/Importer/Supplier/Distributor information			
Company name	Manufactured for:		
Address	Georgia-Pacific Consumer Products LP 133 Peachtree Street, NE Atlanta, GA 30303		
Telephone	Technical Information:	866.435.5647	
	SDS Request:	404.652.5119	
E-mail	MSDSREQ@GAPAC.com		
Emergency phone number	Chemtrec - Emergency:	800.424.9300	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning	
Hazard statement	Causes serious eye irritation.	
Precautionary statement		
Prevention	Wash thoroughly after handling large quantities. Wear eye/face protection, if handling large quantities.	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Storage	Store away from strong oxidizers, reducing agents, strong acids and strong bases..	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	May cause an allergic reaction in sensitive individuals.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
POTASSIUM HYDROXIDE		1310-58-3	0 - For pH adjustment
HEXYLENE GLYCOL		107-41-5	1 - 5
Other components below reportable levels			80 - 100

The specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Not a normal route of exposure. If symptoms develop, remove to fresh air. Get medical attention if irritation persists.
Skin contact	If irritation occurs, flush skin with plenty of water. Seek medical attention if irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Do not induce vomiting without advice from poison control center. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Powder, water spray, foam, carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Firefighters should wear full protective clothing including self contained breathing apparatus.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	This product is not expected to burn unless all water is boiled away. The remaining organic compounds may be ignitable. Use water to cool containers exposed to fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection recommended in Section 8. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Spills of this material are a slipping hazard.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. If large quantities enter a waterway, advise local authorities.

7. Handling and storage

Precautions for safe handling	For external use only. Keep out of the reach of children. Do not get this material in contact with eyes. Wear gloves and safety glasses or goggles if handling large quantities. Avoid prolonged exposure. Provide adequate ventilation. Avoid release to the environment.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values Components

Components	Type	Value	Form
HEXYLENE GLYCOL (CAS 107-41-5)	STEL	10 mg/m ³	Aerosol, inhalable.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
POTASSIUM HYDROXIDE (CAS 1310-58-3)	TWA	50 ppm	Vapor fraction
		25 ppm	Vapor fraction
	Ceiling	2 mg/m ³	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
HEXYLENE GLYCOL (CAS 107-41-5)	Ceiling	125 mg/m ³
POTASSIUM HYDROXIDE (CAS 1310-58-3)		25 ppm
	Ceiling	2 mg/m ³

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection None necessary under normal conditions of use. Wear safety glasses or goggles if handling large quantities.

Skin protection

Hand protection None necessary under normal conditions of use. Wear appropriate gloves if handling large quantities.

Other None necessary under normal conditions of use.

Respiratory protection Under normal conditions of use respiratory protection is not expected to be required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

9. Physical and chemical properties

Appearance Heavy duty hand cleanser containing scrubbing agents.

Physical state Liquid.

Form Liquid gel.

Color Yellow.

Odor Citrus.

Odor threshold Not available.

pH 6 - 7

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	1.01 g/ml @ 25° C

10. Stability and reactivity

Reactivity	No dangerous reactions known under conditions of normal use.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Extremes of temperature and direct sunlight.
Incompatible materials	Strong oxidizers. Reducing agents. Strong acids and strong bases.
Hazardous decomposition products	May include irritating fumes or gases. May include oxides of carbon, sodium, and potassium.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No effects expected under normal conditions of use.
Skin contact	No effects expected under normal conditions of use. Prolonged skin contact may cause temporary irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Not applicable under normal conditions of use. May cause gastrointestinal irritation if ingested.

Symptoms related to the physical, chemical and toxicological characteristics	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
-------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
HEXYLENE GLYCOL (CAS 107-41-5)		
Acute		
Oral		
LD50	Rat	3692 mg/kg
POTASSIUM HYDROXIDE (CAS 1310-58-3)		
Acute		
Oral		
LD50	Rat	214 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	Not hazardous under normal conditions of use.
Carcinogenicity	Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Not hazardous under normal conditions of use.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product	Species	Test Results
enMotion® High Frequency Use Foam Handwash		
Aquatic		
Crustacea	EC50	Daphnia
		55500 mg/l, 48 hours estimated
Components		
Species		
Test Results		
HEXYLENE GLYCOL (CAS 107-41-5)		
Aquatic		
Crustacea	EC50	Daphnia
		3200 mg/L, 48 Hours
		Water flea (Ceriodaphnia reticulata)
		2400 - 3200 mg/l, 48 hours
Fish	LC50	Bleak (Alburnus alburnus)
		7000 - 9100 mg/l, 96 hours
POTASSIUM HYDROXIDE (CAS 1310-58-3)		
Aquatic		
Fish	LC50	Western mosquitofish (Gambusia affinis)
		80 mg/l, 96 hours

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	This product, if discarded, is not considered a hazardous waste under Federal Hazardous Waste Regulations 40 CFR 261. If processing, use, or contamination alters the material, the waste must be tested using methods described in 40 CFR 261 to determine if it meets applicable definitions of hazardous wastes.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty packaging/container can be disposed in accordance with all applicable regulations.

14. Transport information

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations SDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200). This product is regulated under the US Federal Food, Drug, and Cosmetic Act.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

POTASSIUM HYDROXIDE (CAS 1310-58-3) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations This product, if discarded, is considered a Non-RCRA hazardous waste in the state of California.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

Issue date May-25-2015

Revision date May-03-2018

Version # 02

HMIS® ratings Health: 2
Flammability: 0
Physical hazard: 0

NFPA ratings Health: 2
Flammability: 0
Instability: 0

Disclaimer

This SDS is intended to quickly provide useful information to the user(s) of this material or product. It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer) who are unsure of what specific precautions are required should consult their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other safety and health information about this product is inaccurate or incomplete.

Revision information

Identification: Recommended restrictions

Hazard(s) identification: Response

Composition / Information on Ingredients: Disclosure Overrides

Accidental release measures: Methods and materials for containment and cleaning up

Handling and storage: Conditions for safe storage, including any incompatibilities

Physical and chemical properties: Odor

Disposal considerations: Disposal instructions